

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 267 247 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

18.12.2002 Bulletin 2002/51

(51) Int Cl.7: **G06F 1/00**

(21) Application number: **02254065.2**

(22) Date of filing: **11.06.2002**

(84) Designated Contracting States:

**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: **12.06.2001 US 879267**

(71) Applicant: **Accenture Global Services GmbH**

**8212 Neuhausen Am Rheinfall,
Schaffhausen (CH)**

(72) Inventors:

- **Du, Garren**
Brooklyn, New York 11204 (US)

• **Lee, Bryant Chih-Ming**

New York, New York 10024 (US)

• **Flores, Gabriel Martin**

Boston, Massachusetts 02124 (US)

• **Miceli, William Henry**

Chicago, Illinois 60657 (US)

(74) Representative: **Musker, David Charles et al**

R.G.C. Jenkins & Co.

26 Caxton Street

London SW1H 0RJ (GB)

(54) **Digital content publication**

(57) A method and system for receiving digital content and metadata associated with the digital content. In an embodiment, the method and system inputs publication information associated with the digital content, pro-

duces protected digital content, stores the protected digital content, and sends a message including the metadata and the publication information.

EP 1 267 247 A2

Description

BACKGROUND

[0001] This invention relates to digital content publication. In particular, the invention is directed to a method and system for receiving digital content and metadata associated with the digital content, inputting publication information associated with the digital content, protecting the digital content, and sending a message including the metadata and publication information.

[0002] Content publishers are frequently responsible for managing digital content, such as audio, music, video, or text that may have been transformed into a digital format (digital asset). Many content publishers have expended much effort to incorporate new technologies within their core infrastructures. Bridging the gap between old and new technologies may be a complex task.

[0003] Many content publishers have adopted manual and time-consuming processes to create a seamless transition between the creation and the distribution of digital content. Some have incorporated a digital content management (DCM) system into their organizations to address the need for streamlining digital content storage and for repurposing digital content, while others have continued to store the content in warehouses. Many content publishers have focused on preventing unauthorized distribution of digital contents by using a digital rights management (DRM) system solution. A DRM system solution may include technologies to enforce digital rights such as, for example, watermarking, container-based encryption, and sniffer technologies.

[0004] However, current solutions may lack the ability to integrate DCM and DRM systems. The lack of integration often requires the content publisher to extract the digital content and metadata associated with the digital content from the DCM system and manually transfer it to the DRM system. In addition, there may be no integration between the process of entering price and rights information about the content and the process of extracting the digital content from the DCM system.

[0005] Moreover, many content publishers involve third parties in the protection and distribution of digital content. Content publishers often have to transfer the digital content to the third parties resulting in a loss of control over the digital content.

SUMMARY

[0006] In one aspect, the present invention provides a method that includes receiving digital content and metadata associated with the digital content, receiving publication information associated with the digital content, producing protected digital content, and sending a message including the metadata and publication information.

[0007] The aforesaid method may include receiving digital content from a digital content management

(DCM) system and receiving publication information using a graphical user interface (GUI). Digital content can include at least one of streaming video content, music content, graphic content, print content, or audio content. Metadata may include at least one of a name, length, publisher, location, or description associated with the digital content. Publication information may include at least one of pricing, rights, or catalog information associated with the digital content.

[0008] The method also may include encrypting the digital content and storing the encrypted digital content into a file transfer protocol (FTP) directory such that the digital content is accessible over a network, and encrypting the digital content and storing the encrypted digital content into a real server transfer protocol (RSTP) directory such that the digital content is capable of being streamed over a network. The method also can produce thumbnail information associated with the digital content and storing the thumbnail information into a hypertext transfer protocol (HTTP) directory such that the thumbnail information is accessible over a network. The method also can control access to the digital content over a network using an XrML license.

[0009] The method also may include sending a rights-label to a DRM system, wherein the rights-label includes metadata and publication information associated with the digital content. The method may comprise alerting a digital content distributor of the availability of the metadata and publication information associated with the digital content.

[0010] In a second aspect, the invention provides a digital content publication apparatus configured to perform the methods disclosed above.

[0011] In a third aspect, the invention provides an article comprising a computer-readable medium that stores computer executable instructions for causing a computer system to perform the methods disclosed above.

[0012] In a fourth aspect, the invention provides a digital content management (DCM) computer configured to send digital content and metadata associated with the digital content to a digital content publication (DCP) computer, in response to a request by the DCP computer. In an embodiment, the metadata may include at least one of a name, length, publisher, location, or description associated with the digital content.

[0013] In a fifth aspect, the invention provides a digital rights management (DRM) system configured to retrieve metadata and publication information, in response to a message that the metadata and the publication information are available, and store the metadata and the publication information. In an embodiment, the metadata may include at least one of a name, length, publisher, location, or description associated with the digital content. The publication information may include at least one of pricing, rights, or catalog information associated with the digital content.

[0014] In a sixth aspect, the invention provides a con-

tent distributor system configured to retrieve metadata and publication information associated with digital content, in response to an alert that the metadata and the publication information is available, store the metadata and the publication information, and make available the metadata and the publication information. In an embodiment, the metadata may include at least one of a name, length, publisher, location, or description associated with the digital content. The publication information may include at least one of pricing, rights, or catalog information associated with the digital content.

[0015] In a seventh aspect, the invention provides a content consumer computer configured to request a license to purchase digital content, and retrieve protected digital content based on whether the license grants access to the digital content. In an embodiment, the computer may be configured to retrieve thumbnail information associated with the digital content.

[0016] The foregoing techniques can enable the interaction between the DCM system and the DRM system to be automated. It can simplify the transfer of digital content and metadata associated with the digital content from the DCM system to the content distributor. In addition, the content distributor can connect directly to the DRM system and extract metadata and publication information associated with the digital content and store it in a local database. The content distributor can then use the information to list the digital content in the Web-catalog it maintains.

[0017] The foregoing techniques also can decrease the manual process required to move the digital content to the content distributor. For example, the transfer of the digital content and the metadata to the DRM system is automated. Encryption of the digital content also is automated. Moreover, the content publisher has more control over the digital content. For example, the digital content can be encrypted and packaged and then hosted on content publisher's own server or Web-site. This may result in decreased dependence on third party application service providers (ASP) such as, for example, the DRM system or the DCM system.

[0018] In addition, the foregoing techniques can provide a flexible solution which can be adapted to numerous situations depending on the needs and capabilities of the entities involved. For example, the size of the organization interested in creating and distributing digital content may be considered. For instance, a large organization may have the resources to host their own digital content rather than make use of third party resources such as a DCM system, a DRM system, or a content distributor. Each industry may have unique business models having an effect on how the particular solution is implemented. In addition, a process for incorporating content into the Web-catalog of the distributor must be coordinated. For example, the content distributor must have the willingness and capabilities to pull content information from the DRM system.

[0019] The details of one or more embodiments of the

invention are set forth in the accompanying drawings and the description below. Other features, objects, and advantages of the invention will be apparent from the description and drawings, and from the claims.

DESCRIPTION OF DRAWINGS

[0020]

FIG. 1 is computer network system according to an implementation of the invention.

FIG. 2 is computer system according to an implementation of the invention.

FIG. 3 is a flow chart according to an implementation of the invention.

FIGS. 4A-4B are simplified screen shots of a user interface according to an implementation of the invention.

[0021] Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION

FIG. 1 shows a system 10 that can include a digital content publication (DCP) system 18 which can be used by a content publisher 32 to facilitate the publication of protected digital content 22. The DCP system 18 communicates with a digital content management (DCM) system 12 to retrieve unprotected digital content 16 and metadata 14 associated with the unprotected digital content. A digital rights management (DRM) system 24 receives and stores publication information 20 and metadata associated with the protected digital content 22 from the DCP system 18. A content distributor 28 is alerted by the DCP system 18 that information associated with the protected digital content 22 is available from the DRM system 24. As a result, a content consumer 30 can search for digital content from the content distributor 28 and retrieve the digital content from the DCP system 18 once the consumer has been authorized.

The content publisher 32 can be embodied as a client computer communicating over a network 26 with the DCP system 18. Such a network 26 can include, for example, the Internet, the World Wide Web (Web), a local area network (LAN), or other network. The protected digital content 22 can include, for example, Web-based content such as music, audio, video, sound, or print that may have been transformed into a digital format.

The DCM system 12 can include, for example, a server computer connected to the network 26 capable of providing functions such as centralized digitizing, cataloging, and tracking of unprotected digital content 16 and metadata 14 associated with the unprotected digital content 16.

The DCP system 18 can communicate with the DCM system 12 over the network 26. The DCP system

18 can produce protected digital content 22 by extracting the unprotected digital content 16 from the DCM system 12 and encrypting and storing the protected content into the DCP system 18. The DCP system 18 can provide the content publisher 32 with a program module 68 to allow publication information 20 related to the protected digital content 22 to be entered. Such a module 68 can include, for example, an active server page (ASP) capable of being executed from the DCP system 18 and having a graphical user interface (GUI). In addition, the module 68 can provide a rights management screen 21 that can enable publication information 20 to be entered and the metadata to be modified.

[0026] The DRM system 24 is capable of processing extensible rights markup language (XrML) labels 23 generated by the DCP system 18. The XrML labels 23 can include the publication information and metadata data information associated with the digital content 22. XrML is an open specification for describing rights, fees, and conditions for using digital content over a network. The DRM system 24 can be a server computer connected to the network 26 and can include a label database 38 that can be used to store the XrML labels 23. However, the protected digital content 22 is not stored in the DCM system 24. Instead, it is stored at the DCP system 18 and access can be controlled by the DCP system. The DRM system 24 can act like a "rights clearing house" by providing a security check between the protected digital contents 22 stored at the DCP system 18 and a content consumer 30 by assuring that the consumer interested in purchasing the protected digital content 22 has sufficient access.

[0027] The DRM system 24 also can include a license generator 32 which can be used to generate an encryption license permitting the protected digital contents 22 to be accessed by a content consumer 30. A license can be requested by the content consumer 30 through the content distributor 28. The license can be transferred to a content consumer 30 after the consumer has been validated or authorized to access the protected digital content 22. The DRM system 24 can distribute the publication information and metadata information associated with the protected content from the label database 38 to a content distributor 28.

[0028] The content distributor 28 can be a server computer configured as an online e-commerce Web-site connected to the network 26. It can include a content database 36 providing the content consumer 30 information related to the digital contents that may be available for purchase. Such a database can include, for example, Microsoft SQL 2000, Oracle, Sybase, or other database. The information in the database 36 can be used to populate the Web-catalog 34 which can be a part of the content distributor's 28 storefront Web-site. The content distributor 28 can be running a server based operating system (OS) providing a turnkey approach to the implementation of an e-commerce Web-site. Such an OS can include, for example, Microsoft commerce

server 2000 OS.

[0029] The content consumer 30 can be a client computer connected to the network 26. For example, in an Internet computer network embodiment, the content consumer computer 30 can be running a Web-browser 40 enabling the consumer to browse the Web including the content distributors 28 Web-site. The content consumer 30 also can be running a "plugin" 42 which may allow digital content in different formats to be download and viewed, such as, for example, streaming video.

[0030] FIG. 2 is a computer system 50 showing an embodiment of a DCP system 18 according to the invention. The DCP system 18 can be a server computer such as, for example, an Internet information server (IIS) or other server computer. The DCP system 18 can include a central processing unit (CPU) 56 such as an Intel Pentium Processor. The DCP system 18 also can include a system bus 53 that can provide a connection to various computer components by using adapters such as, for example, a output device adapter 66, an input device adapter 61, a disk adapter 67, a network adapter 64, or other adapters. The disk adapter 67 can be used to couple a storage device 62 to the system bus 53. The storage device 62 can include any device capable of holding large amounts of data, such as a hard drive, compact disk read-only memory (CD-ROM), digital versatile disk (DVD), redundant array of inexpensive drives (RAID), or other storage device.

[0031] The input device adapter 61 can connect an input device 63 such as a pointing device, a mouse, track ball, light pen, touch-sensitive display, or other type of pointing device and may be used in combination with a keyboard 63 to input data into the DCP system 18. The output device adapter 66 can be used to connect a display device 55 capable of displaying images and other information. The network adapter 64 can couple the DCP system 18 to a network 26. Such a network can be wired or wireless and can include, for example, a LAN, a WAN, a token-ring, Ethernet, the Internet, the Web, or digital subscriber line (DSL) adapter or a cable or high-speed analog modem, or other network.

[0032] The DCP system 18 can include memory 52, such as, for example, read only memory (ROM), random access memory (RAM), static random access memory (SRAM), dynamic random access memory (DRAM), or other memory which can be connected to the CPU 56 through system bus 53. The CPU 56 can execute programs running in memory 53 and process data residing in memory 53. For example, an OS 66 can be a program responsible for running other programs and for managing the resources of the DCP system 18. Such an OS may include, for example, SUN Apache, Windows 2000, Linux, Unix, or other server based OS. A device driver 70 can be a set of programs that can handle the low-level aspects of computer devices and interfaces such as the storage device 62 or the network adapter 64.

[0033] A DCP module 68 can be a program in memory 52 that can provide the functionality of digital content

publication system according to the invention. The operation of the DCP module 68 will be discussed in detail later. The DCP module 68 can be accessible by other computers over the network 26. For example, the DCP module 68 can be launched or executed by a program running on the DCM system 12. The DCP module 68 is capable of generating display screens such as a rights management page 21 which will be discussed later (FIGS. 4A-4B). The DCP module 68 also can generate XrML rights labels 23 which can include information associated with the protected digital content. A program running on the DCM system 12 could use a uniform resource link (URL) embedded in the program that can reference the location of the DCP module 68. The URL represents the address of a file (resource) accessible on the Internet.

[0034] As discussed above, the DCP module 68 can be implemented using, for example, ASP technology which can include a hypertext markup language (HTML) page having one or more scripts (small embedded programs) that can be processed on a server computer before the HTML page is executed by the DCM system 12. HTML is a set of markup symbols or codes inserted in a file intended for display on a Web-browser.

[0035] ASP technology is similar to a server side program or a common gateway interface (CGI) application since they involve programs that can run on a server computer. In general, a server is a computer program that can provide services to other computer programs in the same or other computers. In a client/server programming model, a server is a program that awaits and fulfills requests from client programs in the same or other computers. A given application in a computer may function as a client with requests for services from other programs and also as a server of requests from other programs.

[0036] The storage resource 62 can be configured to include a HTTP directory 60 providing space for storage and retrieval of thumbnails associated with the protected digital content 22. A thumbnail represents a preview image of the digital content 22 such as, for example, a small picture of a book or a clip of music. HTTP is an application level protocol for exchanging files over a network such as the Web. The files can include, for example, text, graphics, sound, video, or other file types. HTTP allows files to contain a reference or a hyperlink to other files whose selection may elicit additional file requests.

[0037] As part of HTTP, a server computer may include programs that can wait for HTTP requests and handle them as they arrive. Similarly, a client computer running a Web-browser using HTTP can issue HTTP requests. For example, the content consumer 30 can be a client computer running a Web-browser 40 that can access the thumbnails in the HTTP directory by issuing HTTP requests over the network 26. In response, the DCP system 18 can be adapted to run HTTP and to respond to HTTP requests by retrieving the requested

thumbnail and returning the thumbnail file to the client.

[0038] Similarly, the storage resource 62 can be configured to include a file transport protocol (FTP) directory 56 which can provide space for storage and retrieval for protected digital content 22. FTP is a standard Internet protocol providing for the exchange of files between computers over a network such as the Internet. A client computer connected to the Internet and running a Web-browser can issue FTP requests directed to a server to download a program or file from the server. For example, once the content consumer 30 has been authorized to access the digital content 22, the content consumer can issue FTP requests directed to the DCP system 18 to access or view the digital content 22.

[0039] Likewise, a real server transport protocol (RSTP) directory 58 can provide storage and retrieval for digital content 22 that is capable of being formatted into streaming media such as streaming video and audio. For example, the digital content 22 can be in a streaming video format represented by a sequence of "moving images" that can be compressed and transmitted over the network 26. In streaming video, the video images are sent in a continuous stream and played as they arrive.

[0040] To play the streaming video, a player, usually in the form of a "plugin", is necessary to uncompress the video and send the audio portion to a speaker and the video portion to the display on the content consumer 30. For example, once the content consumer 30 has been authorized to access the protected digital content 22, the content consumer has the option of accessing the a digital content in a streaming format from the RSTP directory using various streaming technologies. Such technologies may include, for example, real network realsystem G2, Microsoft windows media video, or other streaming technologies.

[0041] FIG. 3 is a flow chart of an embodiment of techniques according to the invention. The content publisher 32 can search 100 for a particular unprotected digital content 16 stored on the DCM system 12 using a DCM program having a GUI provided by the DCM system. The content publisher 32 can then select unprotected digital content 16 for distribution or publication from the DCM system 12.

[0042] Once a selection has been made, the DCM program can cause the DCP module 68 residing in the DCP system 18 to be executed (launched) 102 through the use of the URL linking mechanism discussed above. Once the DCP module 68 begins executing in the DCP system 18, the module can receive 104 the metadata associated with the unprotected digital content 16 that had been previously selected by the content publisher. In addition, the DCP module 68 can generate a rights management screen 21 as shown in FIGS. 4A-4B which will be discussed below.

[0043] The rights management screen 21 can provide the content publisher with a GUI interface to input 106 publication information associated with the digital con-

tent. The DCP module 68 populates the rights management screen 21 with the metadata information it had received from the DCM system 12. The rights management screen 21 allows the content publisher 32 to modify the metadata information. Once the content publisher 32 completes inputting publication information onto the rights management screen 21 provided by the DCP system 18, the content publisher can "click" the publish button causing the screen to terminate. However, the DCP module 68 continues to perform various functions as discussed below.

[0044] Once the publish button has been clicked, several events occur which may not be visible to the content publisher. For example, the DCP module 68 can protect 108 the digital content by encrypting the digital content resulting in content that is protected from unauthorized access and distribution. The DCP module 68 also can control accesses to the protected digital content 22. Protecting can include storing the digital content 22 in the DCP system 18 instead of sending the content to another system such as the DRM system or the content distributor 28. As a result, the DCP system 18 maintains control over the digital content.

[0045] The digital content also can be stored in the FTP directory 56 for access over the network 26 by the content consumer 30. The digital content 22 that is capable of being streamed over the network 26 can be stored in the RSTP directory 58. In addition, a thumbnail of the digital content 22 can be stored in the HTTP directory 60 which is accessible by the content consumer 30 connected to the network 26.

[0046] The DCP system 18 sends 110 a message to the DRM system 24 over the network 26 indicating that the metadata and the publication information associated with the digital content 22 is available. The message can be implemented using, for example, a set of application program interface (API) function calls that can establish a connection to the DRM system 24 using a password and user name. The message can be implemented using an XrML rights label containing metadata information and publication information associated with the digital content 22.

[0047] The XrML rights label may also contain the location of the digital content 22, an encryption protection key, and rights for using the protected content. The XrML also can register the content 22 with the DRM system 24; however, the content is stored in the DCP system 18 and not in the DRM system. The DRM system 24 can then extract the information from the label and store it in the label database. Once the label representing the content is registered with the DRM system 24, the content distributor 28 may access the label information to populate their Web-catalog.

[0048] The content distributor 28 can now make available 112 the digital content 22 that is stored in the DCP system 18 to a content consumer 30. The DCP system 18 can send a signal to the content distributor system 28 to alert the system 28 that it can proceed to retrieve

the label information from the DRM system 24. If the content distributor 28 decides to retrieve the label, then it can then parse the label and extract the desired metadata and publication information, such as pricing, and populate the content distributor 28 database 36. The content distributor 28 can be a Web-site/storefront and can use the information in the database 36 to provide a Web-catalog.

[0049] The content consumer 30 can search 114 the Web-catalog of the content distributor 28 to purchase protected digital content 22. The digital content 22 can be accessed using the URL locations of the content and of the thumbnail which are stored in the content database as a reference. For example, if a thumbnail is displayed on a Web-page, the URL location is what points to the actual thumbnail located on the DCP system 18. As discussed above, neither the content nor the thumbnail is stored in the content distributor computer 28. If the content consumer 30 decided to purchase digital content 22, then transactions including credit card processing can be performed by the content distributor computer 28. Once the transactions are complete and the content consumer 30 has been authorized to access the digital content 22, then the content distributor 28 can request the DRM 24 to generate a license for the particular purchased digital content 22.

[0050] The license can be an XrML document that can be derived from the XrML rights labels discussed above. The license can contain purchase rights and conditions, customized protection key, and digital signatures for the license and the protected content. The customized protection key is encrypted using the content consumers' public key, so only the consumer with the corresponding private key can decrypt the protected content. Once the license is generated, it can be sent back to the content distributor 28 who then subsequently can deliver it to the content consumer 30.

[0051] The content consumer 30 may be provided with a Web-page containing a link to download the license and to access the protected digital content 22. The content consumer 30 downloads the license to their local machine to view the protected content 22. Once the license has been downloaded, the consumer can view the content by clicking the appropriate content link. For example, for streaming digital content, the link may point to the content publisher RSTP directory. The protected content can then be streamed down to the consumer and rendered (consumed) using the appropriate license.

[0052] FIGS. 4A-4B are screen shots of an embodiment of the rights management screen 21 which may provide the content publisher with the ability to enter information related to the digital content. The rights management screen 21 is displayed once the content publisher 32 selects a particular digital content from the DCM system. Referring to FIG. 4A, the background section 72 represents metadata information associated with the selected digital content. Metadata information may

include, for example, title, description, author, length, the publisher name, and the publisher Email. As discussed earlier, the metadata information is extracted from the digital content stored on the DCM system. The rights management screen 21 also allows any portion of the metadata information to be modified.

[0053] Referring to FIG. 4B, the rights management screen 21 also can provide the content publisher the ability to enter publication information associated with digital content such as distribution and pricing information. The screen 21 can be divided into a distribution information section 74 and a price information section 76.

[0054] In the distribution section 74, distribution information can include the name of the distributors, the particular catalog in which the digital content will be placed, the caption, and a keyword section. Under the pricing section 76, pricing information can include a price structure field such as retail, the type of currency used in the distribution arrangement such as dollars, and the price for playing the digital content. In addition, the digital content type field can provide the option for a particular digital content format. For example, the online play selection represents digital content that is in a streaming format. In contrast, the offline play selection represents digital content that is in a non-streaming format such as a downloaded video file played locally on a user's machine. The "publish" button 78 can cause the rights management screen 21 to terminate. In addition, the screen is sent to the DCP system 18 to process the metadata and publication information. The "Clear" button 80 allows the information on the screen to be cleared and new information to be entered.

[0055] A number of embodiments of the invention have been described. Nevertheless, it will be understood that various modifications may be made without departing from the spirit and scope of the invention. For example, although one content consumer was shown, more than one content consumer computer 30 can be connected to the network 26 to access the digital content 22. Accordingly, other embodiments are within the scope of the following claims.

Claims

1. A method comprising:
 - receiving digital content and metadata associated with the digital content;
 - receiving publication information associated with the digital content;
 - producing protected digital content; and
 - sending a message including the metadata and publication information.
2. The method of claim 1 wherein receiving digital content includes receiving digital content from a digital content management (DCM) system.
3. The method of claim 1 wherein receiving publication information includes receiving publication information using a graphical user interface (GUI).
4. The method of claim 1 wherein the digital content includes at least one of streaming video content, music content, graphic content, print content, sound content, or audio content.
5. The method of claim 1 wherein metadata includes at least one of a name, length, publisher, location, or description associated with the digital content.
6. The method of claim 1 wherein publication information includes at least one of pricing, rights, or catalog information associated with the digital content.
7. The method of claim 1 wherein producing protected digital content includes encrypting the digital content and storing the encrypted digital content into a file transfer protocol (FTP) directory such that the digital content is accessible over a network.
8. The method of claim 1 wherein producing protected digital content includes encrypting the digital content and storing the encrypted digital content into a real server transfer protocol (RSTP) directory such that the digital content is capable of being streamed over a network.
9. The method of claim 1 further comprising producing thumbnail information associated with the digital content and storing the thumbnail information into a hypertext transfer protocol (HTTP) directory such that the thumbnail information is accessible over a network.
10. The method of claim 1 wherein producing protected digital content includes controlling access to the digital content over a network.
11. The method of claim 10 wherein controlling access includes using an XrML license.
12. The method of claim 1 wherein sending includes sending a rights-label to a digital content rights management system (DRM), wherein the rights-label includes metadata and publication information associated with the digital content.
13. The method of claim 1 further comprising alerting a digital content distributor of the availability of the metadata and publication information associated with the digital content.
14. A digital content publication apparatus comprising:

a memory unit; and
a processor configured to:

receive digital content and metadata associated with digital content,
receive publication information associated with the digital content,
produce protected digital content,
store the protected digital content, and
send a message including the metadata and publication information.

15. The apparatus of claim 14 wherein the processor is configured to receive digital content from a digital content management (DCM) system.
16. The apparatus of claim 14 wherein the processor is configured to receive publication information using a graphical user interface (GUI).
17. The apparatus of claim 14 wherein the digital content includes at least one of streaming video content, music content, graphic content, print content, sound content, or audio content.
18. The apparatus of claim 14 wherein metadata includes at least one of a name, length, publisher, location, or description associated with the digital content.
19. The apparatus of claim 14 wherein publication information includes at least one of pricing, rights, or catalog information associated with the digital content.
20. The apparatus of claim 14 wherein the processor is configured to encrypt the digital content and store the encrypted digital content into a file transfer protocol (FTP) directory such that the digital content is accessible over a network.
21. The apparatus of claim 14 wherein the processor is configured to encrypt the digital content and store the encrypted digital content into a real server transfer protocol (RSTP) directory such that the digital content is capable of being streamed over a network.
22. The apparatus of claim 14 wherein the processor is configured to produce thumbnail information associated with the digital content and store the thumbnail information into a hypertext transfer protocol (HTTP) directory such that the thumbnail information is accessible over a network.
23. The apparatus of claim 14 wherein the processor is configured to control access to the digital content over a network.

24. The apparatus of claim 23 wherein the control access includes using an XrML license.

25. The apparatus of claim 14 wherein the processor is configured to send includes sending a rights-label to a digital content rights management (DRM) system, wherein the rights-label includes metadata and publication information associated with the digital content.

26. The apparatus of claim 14 wherein the processor is further configured to alert a digital content distributor of the availability of the metadata and publication information associated with the digital content.

27. An article comprising a computer-readable medium that stores computer executable instructions for causing a computer system to:

receive publication information associated with digital content, in response to receiving the digital content and metadata associated with the digital content;
produce protected digital content; and
send a message including the metadata and publication information.

28. The article of claim 27 further comprising instructions for causing the computer to produce protected digital content wherein the digital content is received from a digital content management (DCM) system.

29. The article of claim 27 further comprising instructions for causing the computer to receive publication information using a graphical user interface (GUI).

30. The article of claim 27 comprising instructions for causing the computer to produce protected digital content, wherein the digital content includes at least one of streaming video content, music content, graphic content, print content, sound content, or audio content.

31. The article of claim 27 comprising instructions for causing the computer to protect the digital content, wherein the metadata includes at least one of a name, length, publisher, location, or description associated with the digital content.

32. The article of claim 27 comprising instructions for causing the computer to produce protected digital content, wherein the publication information includes at least one of pricing, rights, or catalog information associated with the digital content.

33. The article of claim 27 comprising instructions for

causing the computer to produce protected digital content including instructions to encrypt the digital content and store the encrypted digital content into a file transfer protocol (FTP) directory such that the digital content is accessible over a network.

34. The article of claim 27 comprising instructions for causing the computer to produce protected digital content including instructions to encrypt the digital content and store the encrypted digital content into a real server transfer protocol (RSTP) directory such that the digital content is capable of being streamed over a network.

35. The article of claim 27 comprising instructions for causing the computer to produce protected digital content including instructions to produce thumbnail information associated with the digital content and to store the thumbnail information into a hypertext transfer protocol (HTTP) directory such that the thumbnail information is accessible over a network.

36. The article of claim 27 comprising instructions for causing the computer to produce protected digital content including instructions to control access to the digital content over a network.

37. The article of claim 36 comprising instructions for causing the computer to control access includes instructions for controlling access using an XrML license.

38. The article of claim 27 further comprising instructions for causing the computer to send a rights-label to a digital content rights management (DRM) system, wherein the rights-label includes metadata and publication information associated with the digital content.

39. The article of claim 27 further comprising instructions for causing the computer to alert a digital content distributor of the availability of the metadata and publication information associated with the digital content.

40. A digital content management (DCM) computer configured to:

send digital content and metadata associated with the digital content to a digital content publication (DCP) computer, in response to a request by the DCP computer.

41. The computer of claim 40 configured to:

send the metadata, wherein the metadata includes at least one of a name, length, publisher, location, or description associated with the dig-

ital content.

42. A digital rights management (DRM) system configured to:

retrieve metadata and publication information, in response to a message that the metadata and the publication information is available; and
store the metadata and the publication information.

43. The computer of claim 42 configured to:

store the metadata, wherein the metadata includes at least one of a name, length, publisher, location, or description associated with the digital content.

44. The computer of claim 42 configured to:

store publication information, wherein publication information includes at least one of pricing, rights, or catalog information associated with the digital content.

45. A content distributor system configured to:

retrieve metadata and publication information associated with digital content, in response to an alert that the metadata and the publication information is available;
store the metadata and the publication information; and
make available the metadata and the publication information.

46. The computer of claim 45 configured to:

store the metadata, wherein the metadata includes at least one of a name, length, publisher, location, or description associated with the digital content.

47. The computer of claim 45 configured to:

store the publication information, wherein publication information includes at least one of pricing, rights, or catalog information associated with the digital content

48. A content consumer computer configured to:

request a license to purchase digital content; and
retrieve protected digital content based on whether the license grants access to the digital content.

49. The computer of claim 48 further configured to:

retrieve thumbnail information associated with
the digital content.

5

10

15

20

25

30

35

40

45

50

55




FIG. 1




FIG. 2




FIG. 3

Rights Management

Click "publish" once you have entered all applicable product information.

Background

Title: *	Kenyon Martin
Description:	Kenyon Martin tomahawk dunks over Jermaine O'Neal.
Author(s): *	NOTE: Use commas to separate multiple authors.
Length:	12.3
Publisher:	demoproduct
Publisher email:	demoproduct@digitalcreations.com

FIG. 4A

Distribution	
Distributor:	<input type="text" value="All Distributors"/> <input type="text" value="DCS Sports"/> <input type="text" value="Live 24-7 Sports"/> <input type="text" value="Sports World"/>
Catalog:	<input type="text" value="Select Catalog"/>
Category:	<input type="text" value="Select Category"/>
Keywords:	<input type="text" value="Boston Bulldogs"/> <input type="text" value="Los Angeles Miners"/> <input type="text" value="New Jersey Torpedoes"/> <input type="text" value="New York Skyscrapers"/> <input type="text" value="Philadelphia Bombers"/>


Pricing	
Price Structure:	<input type="text" value="Retail"/>
Currency:	<input type="text" value="United States Dollars"/>
Type:	<input checked="" type="radio"/> Online Play <input type="radio"/> Offline Play
Play Price:	<input type="text"/>

<input type="button" value="Publish"/> <input type="button" value="Clear"/>

21

FIG. 4B

THIS PAGE BLANK (USPTO)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 267 247 A3**

(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
28.07.2004 Bulletin 2004/31

(51) Int Cl.7: **G06F 1/00**

(43) Date of publication A2:
18.12.2002 Bulletin 2002/51

(21) Application number: **02254065.2**

(22) Date of filing: **11.06.2002**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**
Designated Extension States:
AL LT LV MK RO SI

- **Lee, Bryant Chih-Ming**
New York, New York 10024 (US)
- **Flores, Gabriel Martin**
Boston, Massachusetts 02124 (US)
- **Miceli, William Henry**
Cambridge, MA 02140 (US)

(30) Priority: **12.06.2001 US 879267**

(71) Applicant: **Accenture Global Services GmbH**
8212 Neuhausen Am Rheinfall,
Schaffhausen (CH)

(74) Representative: **Musker, David Charles et al**
R.G.C. Jenkins & Co.
26 Caxton Street
London SW1H 0RJ (GB)

(72) Inventors:
• **Du, Garren**
Brooklyn, New York 11204 (US)

(54) **Digital content publication**

(57) A method and system for receiving digital content and metadata associated with the digital content. In an embodiment, the method and system inputs publication information associated with the digital content, pro-

duces protected digital content, stores the protected digital content, and sends a message including the metadata and the publication information.

EP 1 267 247 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 25 4065

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	WO 96/27155 A (ELECTRONIC PUBLISHING RESOURCE) 6 September 1996 (1996-09-06) * figure 1 * * figure 2 * * figure 78 * * page 37, line 19 - line 25 * * page 161, line 3 - line 18 * * page 165, line 1 - line 17 * * page 166, line 15 - page 167, line 2 * * page 311, line 10 - line 16 * * page 407, line 18 - page 408, line 16 * * page 697, line 6 - line 19 * * page 737, line 15 - page 738, line 17 * * page 748, line 17 - page 750, line 2 * * page 751, line 14 - page 752, line 20 * * page 814, line 16 - page 815, line 15 * * page 821, line 1 - line 13 * * page 822, line 22 - page 824, line 11 *	1-49	G06F1/00
P,X	WO 01/44907 A (MICROSOFT CORP) 21 June 2001 (2001-06-21) * page 47, line 6 - line 15 *	11,24,37	TECHNICAL FIELDS SEARCHED (Int.Cl.7)
A	CHANGWOO JEE ET AL: "A DAVIC Video-on-Demand system based on the RTSP" APPLICATIONS AND THE INTERNET, 2001. PROCEEDINGS. 2001 SYMPOSIUM ON SAN DIEGO, CA, USA 8-12 JAN. 2001, LOS ALAMITOS, CA, USA, IEEE COMPUT. SOC, US, 8 January 2001 (2001-01-08), pages 231-238, XP010532817 ISBN: 0-7695-0942-8 * abstract *	8,21,34	G06F
A	WO 00/42555 A (HARRY FOX AGENCY INC) 20 July 2000 (2000-07-20) * figure 6 * * page 10, line 20 - line 30 * * page 54, line 1 - line 5 *	9,22,35	
The present search report has been drawn up for all claims			
Place of search Munich		Date of completion of the search 21 May 2004	Examiner Chabot, P
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPC FORM 1503 03.02 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 25 4065

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

21-05-2004

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9627155	A	06-09-1996	AU 711733 B2	21-10-1999
			AU 6326696 A	18-09-1996
			CA 2212574 A1	06-09-1996
			CN 1183841 A	03-06-1998
			EP 0861461 A2	02-09-1998
			JP 10512074 T	17-11-1998
			JP 2004005558 A	08-01-2004
			JP 2004005601 A	08-01-2004
			JP 2004030600 A	29-01-2004
			JP 2004005614 A	08-01-2004
			JP 2004005625 A	08-01-2004
			JP 2004005629 A	08-01-2004
			US 2003191719 A1	09-10-2003
			WO 9627155 A2	06-09-1996
			US 2003088784 A1	08-05-2003
			US 2003105721 A1	05-06-2003
			US 6253193 B1	26-06-2001
			US 6185683 B1	06-02-2001
			US 6363488 B1	26-03-2002
			US 6389402 B1	14-05-2002
			US 6237786 B1	29-05-2001
			US 6427140 B1	30-07-2002
			US 6658568 B1	02-12-2003
			US 5910987 A	08-06-1999
			US 2002112171 A1	15-08-2002
			US 5949876 A	07-09-1999
			US 5915019 A	22-06-1999
			US 5917912 A	29-06-1999
			US 2001042043 A1	15-11-2001
			US 2004054630 A1	18-03-2004
			US 5982891 A	09-11-1999
WO 0144907	A	21-06-2001	AU 2259901 A	25-06-2001
			AU 2260001 A	25-06-2001
			AU 4717501 A	03-07-2001
			EP 1242854 A1	25-09-2002
			EP 1242855 A1	25-09-2002
			EP 1242858 A2	25-09-2002
			JP 2003517767 T	27-05-2003
			JP 2003518282 T	03-06-2003
			WO 0144907 A1	21-06-2001
			WO 0144908 A1	21-06-2001
WO 0042555	A	20-07-2000	AU 2610300 A	01-08-2000
			CA 2323427 A1	20-07-2000

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

EP 02 25 4065

21-05-2004

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 0042555 A		EP 1062605 A1	27-12-2000
		WO 0042555 A1	20-07-2000

65MUD M803 0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82